

**MATERIAL SAFETY DATA SHEET:** According to EC-directive 2001/58/EC**Rubber Accelerator CBS (CZ)****HS Code: 38121000.00****1. 化学品及企业标示(CHEMICAL PRODUCT AND COMPANY IDENTIFICATION)**

产品标签名/ Product label name	N-环己基-2-苯并噻唑次磺酰胺 N-Cyclohexyl-2-benzothiazolesulfenamide 深圳市华起达实业有限责任公司 Meyor Industrial Co.,Ltd 深圳市罗湖区中兴路, 外贸集团大厦 2610-2611 室
供应商/ Supplier	RM 2610-2611 Foreign Trade Building, Zhong Xing Road Shen Zhen. China TEL:+86-755-82184166 FAX:+86-755-82187033
紧急电话/ Emergency telephone	+86-755-82190130
产品用途/ Intended use	橡胶硫化促进剂/ Rubber Vulcanization accelerator

2. 成分/组成信息(COMPOSITION/INFORMATION ON INGREDIENTS)

化学名/ Chemical name	N-环己基-2-苯并噻唑次磺酰胺 N-Cyclohexyl-2-benzothiazolesulfenamide
CAS 编号/ CAS NO.	95-33-0
产品描述/ Chemical description	灰白色粉末/Grey white powder
TSCA NO.编码/ TSCA NO.	无/ none
EINECS 号码/ EINECS NO.	无/ none
其他信息/ Other information	C ₁₃ H ₁₆ N ₂ S ₂

3. 危险性鉴定(HAZARDS IDENTIFICATION)

经常接触可能会导致皮肤过敏。对水生有机体有危害, 对水生环境可能有长期毒害。	Repeated contact may cause skin sensitization. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
OSHA/HCS status	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	COMBUSTIBLE DUSTS SKIN SENSITIZATION – Category 1

GHS label elements
Hazard pictograms

Signal word: Warning



Hazard statements May form combustible dust concentrations in air.
May cause an allergic skin reaction.

NFPA	Health	2
	Flammability	1
	Physical hazards	0

HIMS	Health	2	Flammability	1
			Instability/Reactivity	0
			Special	

4. 急救措施(FIRST AID MEASURES)

症状和效果/ Symptoms and effects	Dust may be irritating to the respiratory tract and cause symptoms of bronchitis. Repeated contact may cause skin sensitization. 粉尘可能吸入呼吸道，从而导致支气管炎。 经常接触可能导致皮肤过敏。
急救/ First aid	
通常情况/ General	In all cases of doubt, or when symptoms persist, seek medical attention. 任何可疑情况，或有任何症状出现，请马上找医生咨询。
吸入/ Inhalation	Move to fresh air. If symptoms persist, seek medical advice. 呼吸新鲜空气。如果有持续症状，请马上就医。
皮肤/ Skin	Remove all contaminated clothing immediately. Wash off with plenty of soap and water. Seek medical advice if irritation develops. Launder clothes before reuse. 立即移走所有被污染的衣物。用肥皂和清水冲洗。 如果出现愤怒、烦躁症状请立即就医。衣物重新使用前需洗涤干净。
眼睛/ Eye	Rinse thoroughly with plenty of water. Eyelids should be held away from the eyeball to Ensure thorough rinsing. Seek medical advice if irritation develops. 翻开眼睑用清水冲洗干净。 确保洗除残渣。如果出现愤怒症状请就医。
摄取/ Ingestion	Rinse mouth, give water to drink. 请漱口，喝水。
医生建议/ Advice to physician	No specific recommendations. 无详细建议。

5. 消防措施(FIRE-FIGHTING MEASURES)

灭火媒介/ Extinguishing media	Waterspray, water mist, foam, dry chemical powder, CO ₂ 喷物，水雾，泡沫，干粉灭火器，CO ₂
不适用的灭火媒介 / Unsuitable extinguishing media	Waterjet. 水柱（流）



特殊危险/ Special exposure hazards	Emits toxic fumes under fire conditions. 在火灾情况下释放的有毒烟气。
分解腐烂危险/燃烧产品/ Hazardous decomposition/ combustion products	Carbon monoxide (CO), Sulfur oxides (SO _x), nitrous gases (NO _x). 一氧化碳, 硫的氧化物, 氮的氧化物。
保护设备/ Protective equipment	Wear self contained breathing apparatus. 需配戴空气呼吸器。
其他信息/ Other information	Do not allow run-off from fire fighting to enter drains or water courses. 避免消防水接触下水道, 土地或水源。

6. 泄露应急处理(ACCIDENTAL RELEASE MEASURES)

个人防范/ Personal precautions	For personal protection see Section 8. Avoid dust generation. 对于个人防范请参照第 8 部分。避免粉尘的产生。
环境预防/ Environmental precautions	Avoid discharge into the environment. 避免流入环境之中。
清洁处理方法/ Methods for cleaning up	Collect as much as possible in a clean container for (preferable) reuse or disposal. 尽可能的将其收集在清洁的容器里以便回收或集中处理。

7. 操作处置与储存(HANDLING AND STORAGE)

操作处置/ Handling	Avoid contact with skin. Avoid dust generation. Take precautionary measures against static discharges. 避免接触皮肤。避免粉尘。 做好静电预防。 Dust/air mixtures may ignite violently upon exposure to sparks or sources of ignition. Dust explosion class (VDI 2263): St 2. Kst: 169 - 237 bar.m/s.
火灾爆炸处理/ Fire and explosion prevention	Maximum corrected explosion pressure: 7.3 - 8.2 bar. 粉尘/空气 混合物可能会引起猛烈的爆炸。 粉尘爆炸等级(VDI 2263): St 2. Kst: 169 - 237 bar.m/s. 最大修正爆炸压力: 7.3 - 8.2 bar.
储存要求/ Storage requirements	Store in a dry and cool place. 储存于干燥与阴凉的地方。

8. 接触控制/个体防护(EXPOSURE CONTROLS/PERSONAL PROTECTION)

工程学控制/ Engineering controls	Avoid dust generation. Ensure good ventilation and local exhaustion of the working area. 避免粉尘产生。确保当地工作场所通风。
-----------------------------	--

**暴露限制/ Exposure limits**

名称/ Name: N-环己基-2-苯并噻唑次磺酰胺

N-Cyclohexylbenzothiazole-2-sulfenamide

OES-TWA 5.0 mg/m³()**个人防护/ Personal protection****呼吸器/ Respiratory**

Avoid breathing dust. In case of insufficient ventilation,
wear suitable respiratory equipment.

避免吸入粉尘。在通风不畅的情况下请佩戴相应的呼吸器。

手/ Hand

Wear suitable gloves.

佩戴相应的长手套。

眼/ Eye

Wear safety goggles.

佩戴防护眼罩。

皮肤和身体/ Skin and body

Wear suitable protective clothing.

穿戴相应的保护服装。

9. 物理和化学特性(PHYSICAL AND CHEMICAL PROPERTIES)

外观/ Appearance	Grey white powder 灰白色粉末	颜色/ Colour	Grey white 灰白
气味/ Odour	Slightly bitter 微苦	沸点/ Boiling point	---
熔点/ Melting point \geq	96°C	闪点/ Flash point	177°C
易燃性/ Flammability	---	爆炸极限/ Explosion limits	---
爆炸性/ Explosive properties	---	自燃温度/ Auto ignition temperature	---
氧化性/ Oxidizing properties	---	蒸汽压/ Vapour pressure	---
比重/ Density	1.31-1.34 g/cm ³ (25°C)	体积密度/ Bulk density	---
溶解性/ Solubility in water	Insoluble in water 不溶于水	在其它溶剂中的溶解性/ Solubility in other solvents	in most organic solvents 在多数有机溶剂中溶解
PH 值/ pH value		分解系数/ Partition coefficient	
Residues (150um)% Max 筛余物	0.10	相对蒸汽密度/ (air=1) Relative vapour density	
Oil Content% 油含量%	1.0-2.0	纯度/ Assay content % \geq	95

10. 稳定性和反应性(STABILITY AND REACTIVITY)

稳定性/ Stability	Stable under recommended storage and handling conditions (see section 7). 推荐的稳定储存和搬运条件 (请参照第 7 部分)
应避免的情况/ Conditions to avoid	Heating > 100 °C: May catch fire.



大于 100 °C:可能导致火灾。

应避免的物质/ Materials to avoid

No specific recommendations.

无特殊推荐。

腐烂分解毒害性产品/

Thermal decomposition products: carbon monoxide (CO), nitrous gases (NOx), Sulfur oxides (SOx).

Hazardous decomposition products

热分解产品: 一氧化碳, 氮的氧化物, 硫的氧化物。

11. 毒理学资料(TOXICOLOGICAL INFORMATION)

名称/ Name N-环己基-2-苯并噻唑次磺酰胺/ N-Cyclohexylbenzothiazole-2-sulfenamide

敏感性毒害/ Acute toxicity

口头的/ Oral LD50 老鼠/ rat: 5300 mg/kg.

皮肤的/ Dermal LD50 兔子/ rabbit: 7940 mg/kg.

易愤怒/ Irritation

皮肤/ Skin Slightly irritating to skin but not sufficient for classification.
对皮肤有轻微刺激但未达到分级阶段。

眼睛/ Eye Slightly irritating to eyes but not sufficient for classification.
对眼有轻微刺激但未达到分级阶段。

12. 生态学资料(ECOLOGICAL INFORMATION)

名称/ Name N-环己基-2-苯并噻唑次磺酰胺/ N-Cyclohexylbenzothiazole-2-sulfenamide

生态学/ Ecotoxicity

96h-LC50 (Lepomis macrochirus): 7.9 mg/l.

鱼/ fish 96h-LC50 (Oncorhynchus mykiss): 5.4 mg/l.

96h-LC50 (Pimephales promelas): > 1000 mg/l.

水蚤/ daphnia 48h-EC50 (Daphnia magna): 18 mg/l.

藻类/ algae 96h-IC50 (Selenastrum capricornutum): 1.1 mg/l.

初级生物/ Degradation 不能被轻易分解/ Not readily biodegradable.

Biotic**13. 废弃处理(DISPOSAL CONSIDERATIONS)**

Avoid discharge into the environment.

Small quantities: According to local regulations.

Large quantities: Consult Meyors Chemical for special advice.

产品/ Product

避免流入环境。

小量: 根据当地规定。

大量: 请联系美尔化工获取建议。

包装污染/ Contaminated packaging

According to local regulations.













根据当地规定。

Waste code number: Please refer to your specific industry
in the European Waste Catalogue.

其他信息/ Other information

消耗物代码：请联系欧洲在消耗物领域的特殊工业。

14. 运输信息(TRANSPORT INFORMATION)

Regulatory information	Un No.	Proper shipping name	Classes	PG*	Label	Additional information
DOT Classification	3077	Environmentally hazardous substance, 9solid, n. o. s. (Ncyclohexyl2-benz othiazolesulfenamide)	9	III	 	Remarks Marine pollutant
TDG Classification	3077	Environmentally hazardous substance, solid, n. o. s. (Ncyclohexyl2-benz othiazolesulfenamide)	9	III	 	Remarks Marine pollutant
ADR/RID Class	3077	Environmentally hazardous substance, solid, n. o. s. (Ncyclohexyl2-benz othiazolesulfenamide)	9	III	 	Remarks Marine pollutant
IMDG Class	3077	Environmentally hazardous substance, solid, n. o. s. (Ncyclohexyl2-benz othiazolesulfenamide)	9	III	 	Remarks Marine pollutant
IATA-DGR Class	3077	Environmentally hazardous substance, solid, n. o. s. (Ncyclohexyl2-benz othiazolesulfenamide)	9	III	 	Remarks Marine pollutant

**15. 法规信息(REGULATORY INFORMATION)**

化学品描述/ Chemical description

N-Cyclohexyl-2-benzothiazolesulfenamide

N-环己基-2-苯并噻唑次磺酰胺

标签根据 EC 指标/ Labelling according to EC directives

EC 号/ EC-number

See section 2

查看第 2 部分

分级标准/ Classification based on

Annex-1 to directive 67/548/EEC

根据 67/548/EEC 指示

R 43 May cause sensitization by skin contact
may cause long-term adverse effects in the aquatic
environment

危险性短语/ R(isk) phrase(s)

R51/53 Toxic to aquatic organisms, May cause long term
adverse effects in the aquatic environment

R 43 可能导致皮肤接触加剧。

可能导致对水生环境的长期影响。

S 24 Avoid contact with skin

S 37 Wear suitable gloves

S 60 This material and its container must be disposed of
as hazardous waste

S 61 Avoid release to the environment. Refer to special
instructions/Safety data sheets

安全性短语/ S(afety) phrase(s)

S 24 避免接触皮肤。

S 37 配戴相应的手套。

S 60 这种物质和其容器必须按照有害物质的原则进行相应
处理。

S 61 避免释放到环境，参照相关指令或安全数据表。

其他信息/ Other information

To be displayed on the label: "EC label".

显示在"EC label"标签上。

Wassergefährdungsklasse (WGK)

2 (VwVwS Anhang 3, Nr. 6605)

16. 其他信息(OTHER INFORMATION)

This information only concerns the above mentioned product and does not need to be valid if used with other product(s) or in any process. The information is to our best present knowledge correct and complete and is given in good faith but without warranty. It remains the user's own responsibility to make sure that the information is appropriate and complete for his special use of this product.

这些信息仅仅涉及以上提到的产品，如果用于其他产品或其他过程，本公司不付任何法律责任。这些信息是我们当前最新最好的资料编写而成，值得信任，但我们不能绝对保证没有错误。它仅仅起到提醒使用者自己使这些信息指导相关产品用于适当的地方。