



Operational Office Address: Suite 2610-2611 Foreign Trade Building, 239 Zhongxing Road, Luohu District, Shen Zhen City, P R of China

Tel: +86-755-8218 4166 Fax: +86-755- 8218 7033 Email: info@meyor.cn URL: www.rbb.com.cn

MATERIAL SAFETY DATA SHEET: According to EC-directive 2001/58/EC

### **Vulcanization Agent DTDM**

38121000.00

### 1. 化学品及企业标示(CHEMICAL PRODUCT AND COMPANY IDENTIFICATION)

产品标签名/ Product label name 4,4'-二硫基二吗啉

4,4' -dithiodimorpholine

深圳市华起达实业有限责任公司

Meyor Industrial Co.,Ltd

深圳市罗湖区中兴路,外贸集团大厦 2610-2611 室

供应商/ Supplier RM 2610-2611 Foreign Trade Building, Zhong Xing Road

Shen Zhen. China

TEL: +86-755-82184166 FAX: +86-755-82187033

紧急电话/ Emergency telephone +86-755-82190130

产品用途/ Intended use 橡胶硫化剂/ Rubber Vulcanization Agent

#### 2. 成分/组成信息(COMPOSITION/INFORMATION ON INGREDIENTS)

4,4'-二硫基二吗啉 化学名/ Chemical name

4,4'-dithiodimorpholine

CAS 编号/ CAS NO. 103-34-4

产品描述/ Chemical description 白色粉末/White powder

TSCA NO.编码/ TSCA NO. 无/none

EINECS 号码/ EINECS NO. 无/none

其他信息/ Other information 无/none

### 3. 危险性鉴定(HAZARDS IDENTIFICATION)

#### 3.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H400, H410.



**GHS09** Environment

H400 Very toxic to aquatic life.

Aquatic Acute 1
Aquatic Chronic 1

H410 Very toxic to aquatic life with long lasting effects.

**(** 

GHS07

Eyes Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Information concerning particular hazards for human and environment: Not applicable.

#### 3.2 Label elements

Labeling according to Regulation (EC) No 1272/2008

The product is additionally classified and labelled according to the Globally Harmonized System (GHS) within the United States.





Operational Office Address: Suite 2610-2611 Foreign Trade Building, 239 Zhongxing Road, Luohu District, Shen Zhen City, P R of China

Tel: +86-755-8218 4166 Fax: +86-755- 8218 7033 Email: <u>info@meyor.cn</u> URL: <u>www.rbb.com.cn</u>

The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H400.

The substance is classified and labeled according to the CLP regulation.

Hazard pictograms





GHS07

GHS09

Signal word: Warning

Hazard-determining components of labeling: 4,4'-dithiodimorpholine

Hazard statements

The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation:H410

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H410 Very Toxic to aquatic life with long lasting effects.

Precautionary statements

P280 Wear protective gloves and eye protection.

P264 Wash thoroughly after handling.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

Hazard description

NFPA ratings (scale 0-4)

HMIS ratings (scale 0-4)

10



Health = 1

Fire = 1

Reactivity = 0

Health = 1

Fire = 1

Reactivity = 0

HMIS Long Term Health Hazard Substances: Substance is not listed.

3.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

### 4. 急救措施(FIRST AID MEASURES)

症状和效果/ Symptoms and effects

Dust may be irritating to the respiratory tract and cause symptoms of

bronchitis.

Ingestion: The product produces characteristic stomach breath odour,





Operational Office Address: Suite 2610-2611 Foreign Trade Building, 239 Zhongxing Road, Luohu District, Shen Zhen City, P R of China

Tel: +86-755-8218 4166 Fax: +86-755-8218 7033 Email: info@meyor.cn URL: www.rbb.com.cn

nausea or vomiting.

Eye: Particulates of the material may cause mechanical irritation.

Skin: In case of prolonged contact: Slight irritation. In case of repeated

contact: Risk of dermatitis.

粉尘可能吸入呼吸道,从而导致支气管炎。 摄取:产品的特性会导致胃胀,恶心或呕吐。

急救/First aid

眼睛/ Eye

摄取/ Ingestion

In all cases of doubt, or when symptoms persist, seek medical attention. 通常情况/ General

任何可疑情况,或有任何症状出现,请马上找医生咨询。

Move to fresh air. If symptoms persist, seek medical advice. 吸入/ Inhalation

呼吸新鲜空气。如果有持续症状,请马上就医。

Wash immediately with soap and water. Launder clothes before reuse.

用肥皂和水立即清洗。洗熨衣物后再使用。

Rinse thoroughly with plenty of water. Eyelids should be held away from

the eyeball to ensure thorough rinsing. Seek medical advice if irritation

develops.

用大量清水彻底冲洗。眼睑应远离眼球,以确保彻底冲洗。如果刺激发展,

寻求医疗建议。

Rinse mouth, give water to drink, Seek medical advice.

漱口,饮水,求医。

Symptomatic treatment is advised.

建议对症治疗。

5. 消防措施(FIRE-FIGHTING MEASURES)

灭火媒介/ Extinguishing media

医生建议/ Advice to physician

不适用的灭火媒介

分解危险/燃烧产品/

Hazardous decomposition/

**Combustion products** 

/ Unsuitable extinguishing media

特殊危险/ Special exposure hazards

Large quantities of water, waterspray, water mist, foam,

dry chemical powder, CO<sub>2</sub>, sand.

大量的水、喷水、水雾、泡沫、干粉、二氧化碳、沙子。

Waterjet.

水注(流)

Combustible powder. Dust explosion possible in the

presence of air. Burns with nearly invisible flame. Emits

toxic and corrosive fumes under fire conditions.

可燃性粉末。粉尘在空气中爆炸是可能的。Burns 几乎看不

见火焰。在火灾条件下发出有毒和腐蚀性的烟雾。

Sulfur oxides (SO<sub>x</sub>): May cause delayed pulmonary

oedema.

硫氧化物(SOX):可能导致延迟肺水肿。

Wear self-contained breathing apparatus.

佩戴自给式呼吸器。

-6. 泄露应急处理(ACCIDENTAL RELEASE MEASURES)

个人防范/ Personal precautions

保护设备/ Protective equipment

For personal protection see Section 8. Avoid dust

generation.

对于个人防范请参照第8部分。避免粉尘的产生。





操作处置/ Handling

### Meyor Industrial Co.,Ltd

Operational Office Address: Suite 2610-2611 Foreign Trade Building, 239 Zhongxing Road, Luohu District, Shen Zhen City, P R of China

Tel: +86-755-8218 4166 Fax: +86-755- 8218 7033 Email: <u>info@meyor.cn</u> URL: <u>www.rbb.com.cn</u>

环境预防/ Environmental precautions

清洁处理方法/ Methods for cleaning up

Avoid discharge into the environment.

避免流入环境之中。

Collect as much as possible in a clean container for

(preferable) reuse or disposal.

尽可能的将其收集在清洁的容器里以便回收或集中处理。

### 7. 操作处置与储存(HANDLING AND STORAGE)

Keep away from sources of ignition - No smoking! Use non-sparking handtools. Avoid dispersing the dust into clouds.

Avoid contact with eyes.

Good industrial practice in housekeeping and personal hygiene should be followed.

远离火源,禁止吸烟!使用不起火的手工工具。避免将灰尘分散到云层中。

避免接触眼睛。

在家务卫生和个人卫生方面应遵循良好的工业惯例。

Dust/air mixtures may ignite violently upon exposure to sparks or sources of ignition..

Avoid dust accumulation. Avoid dispersing the dust into clouds. Eliminate all sources of ignition, and do not generate flames or sparks. Prevent electrostatic discharges. Use grounded equipment. And hoppers to prevent generation of dust clouds.

灰尘或空气混合物可能在暴露于火花或点火源时剧烈燃烧。 避免灰尘堆积。避免将灰尘分散到云层中。消除所有的点火源,不产生火焰或火花。防止静电放电。使用接地设备。料 斗,防止尘云的产生。

Store away from sources of heat and ignition. Store away from reactive products (refer to sec. 10). Keep the original package or container closed if not in use. Protect from direct sunlight.

储存远离热源和点火。远离反应性产品(参阅 SEC)。10)。 如果不使用,请保持原包装或容器关闭。避免阳光直射。

# 储存要求/ Storage requirements

防火防爆/Fire and explosion prevention

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

工程学控制/ Engineering controls

Avoid dust generation. Ensure good ventilation and local exhaustion of the working area.

避免粉尘产生。确保当地工作场所通风。

暴露限制/ Exposure limits

个体防护/ Personal protection

呼吸器/ Respiratory

Avoid breathing dust. In case of insufficient ventilation, wear suitable respiratory equipment.

避免吸入粉尘。在通风不畅的情况下请佩带相应的呼吸器。



皮肤和身体/ Skin and body



手/ Hand

眼/ Eye

### Meyor Industrial Co.,Ltd

Operational Office Address: Suite 2610-2611 Foreign Trade Building, 239 Zhongxing Road, Luohu District, Shen Zhen City, P R of China

Tel: +86-755-8218 4166 Fax: +86-755- 8218 7033 Email: <u>info@meyor.cn</u> URL: <u>www.rbb.com.cn</u>

Wear suitable gloves.

佩戴相应的长手套。

Wear safety goggles.

佩戴防护眼罩。

Wear suitable protective clothing.

穿戴相应的保护服装。

### 9. 物理和化学特性(PHYSICAL AND CHEMICAL PROPERTIES)

外观/ Appearance	White powder	颜色/ Colour	White
71/2 <b>6</b> 7 1 <b>P</b> P O	白色粉末	55,C3.	白色
气味/ Odor		沸点/ Boiling point	
熔点/ Melting point	≥120 °C	闪点/ Flash point	
易燃/Flammability		Loss on drying%(Max) 加热减量%(Max)	0.50
爆炸性/Explosive properties	_	自 燃 温 度 /Autoignition temperature	> 290 °C
氧化性能/Oxidizing properties		蒸汽压力/Vapour pressure	<0.01 mBar (20℃)
比重/Density	1.28-1.32 g/cm³ (25°C)	体积密度/Bulk density	
在水中溶解/Solubility in	Insoluble in water	在其他溶剂中的溶解度	Partly soluble.
water	不溶于水	/Solubility in other solvents	部分溶解
PH 值/pH value		分配系数/Partition coefficient	
Residues (150um)% Max	0.10(Max)	相对蒸汽密度/Relative	
筛余物(150um)% 最大值	0.10(Max)	vapour density	
Assay Content %≽	96		
纯度 % ≥	30		

### 10. 稳定性和反应性(STABILITY AND REACTIVITY)

Stable under recommended storage and handling conditions

(see section 7).

在推荐的储存和处理条件下稳定(见第7节)。

Heat, sources of heat, naked flames, sparks, direct sunlight 应避免的情况/ Conditions to avoid

热, 热源, 裸露的火焰, 火花, 直射的阳光

**Oxidants, amines 避免材料/Materials to avoid** 

氧化剂,胺

有害分解产物/Hazardous decomposition products

Sulfur oxides (SOx).

硫氧化物(SOX)

### 11. 毒理学资料(TOXICOLOGICAL INFORMATION)

名称/ Name 4,4'-dithiodimorpholine

4,4'-二硫基二吗啉

敏感性毒害/ Acute toxicity

稳定性/ Stability





Operational Office Address: Suite 2610-2611 Foreign Trade Building, 239 Zhongxing Road, Luohu District, Shen Zhen City, P R of China

> Tel: +86-755-8218 4166 Fax: +86-755- 8218 7033 Email: <u>info@meyor.cn</u> URL: <u>www.rbb.com.cn</u>

口头的/ Oral LD50 老鼠 rat: 5600mg/kg.

易愤怒/ Irritation

**眼睛/Eye** 兔子 rabbit: Non-irritating

**呼吸系统/Respiratory** 兔子 rabbit: Non-irritating

w化作用/Sensitization Patch testing (Human experience): Not sensitizing.

帕奇试验(人类经验):不致敏。

機传毒性/Genotoxicity

Not mutagenic (in vitro)

不致突变(体外)

其他毒理学信息/Other Chronic toxicity: NOEL (No Observable Effect Level) (rat, oral): 500 mg/kg.

toxicological information 慢性毒性:加琳诺爱儿(无明显作用水平)(大鼠,口服):500 mg/kg。

#### 12. 生态学资料(ECOLOGICAL INFORMATION)

名称/Name 4,4'-dithiodimorpholine

4,4'-二硫基吗啉

生态学/ Ecotoxicity

产品/ Product

鱼/ fish 96h-LC50 (Rainbow Trout)=1.8 mg/l.

藻类毒性/algae Toxicity 96hr-EC50 Algae =29.0mg/l.

生物蓄积/Bioaccumulation Assimilation and consumption in proteic synthesis

蛋白质合成中的同化与消耗

#### 13. 废弃处理(DISPOSAL CONSIDERATIONS)

Small quantities: According to local regulations. ( most probably controlled incineration ). The incinerator must be equipped with a system for the neutralization of SOx.

Large quantities: Consult Meyors Chemical for special

advice.

少量:按当地规定。(很可能是控制焚烧)。焚化炉必须配

备一个中和 SOX 的系统。

大量: 请联系美尔化工获取建议。

According to local regulations.

根据当地规定。

### 14. TRANSPORT INFORMATION

包装污染/ Contaminated packaging





Operational Office Address: Suite 2610-2611 Foreign Trade Building, 239 Zhongxing Road, Luohu District, Shen Zhen City, P R of China

Tel: +86-755-8218 4166 Fax: +86-755- 8218 7033 Email: <u>info@meyor.cn</u> URL: <u>www.rbb.com.cn</u>

14.1 UN-Number			
DOT, ADR, IMDG, IATA	Not regulated		
14.2 UN proper shipping name:			
DOT	Not regulated		
ADR	ENVIRONMENTALLY HAZARDOUS SUBSTANCE SOLID,N.O.S.(4,4 '-dithiodimorpholine)		
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.(4,4 '-dithiodimorpholine), MARINE POLLUTANT		
IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.(4,4 '-dithiodimorpholine)		
14.3 Transport hazard class(es)			
DOT Class ADR	Not regulated		
<b>♣</b>	Label: 9		
<u></u>	Label: 9		
14.4 Packing group			
DOT	N/A		
ADR, IMDG, IATA	III		
14.5 Environmentalhazards	Product contains environmentally hazardous substances:(4,4' -dithiodimorpholine)		
Marine pollutant	Yes Symbol (fish and tree)		
SpecialMarking(ADR)	Symbol(fishandtree)		
SpecialMarking(IATA)	Symbol(fishandtree)		
14.6.Special precautionsfor user	Warning: Miscellaneousdangeroussubstances and articles.		
Danger code (Kemler)	90		
EMS Number	F-A,S-F		
14.7 Transport in bulk according to Annex II of	MARPOL73/78 and the IBC Code:Not applicable. Transport/Additional information		
ADR			
Limited quantities (LQ)	5kg		
Transport category	3		
Tunnel restriction code	E		
UN "Model Regulation"	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (4,4 '-dithiodimorpholine)		

### 15. 法规信息(REGULATORY INFORMATION)

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

United States (USA)				
SARA Section 355 (extremely hazardous substances)	Substance is not listed.			
SARA Section 313 (Specific toxic chemical listings)	Substance is not listed.			
TSCA (Toxic Substances Control Act)	Substance is listed.			
Proposition 65 (California)				
Chemicals known to cause cancer	Substance is not listed.			
Chemicals known to cause reproductive toxicity for females	Substance is not listed.			
Chemicals known to cause reproductive toxicity for males	Substance is not listed.			





Operational Office Address: Suite 2610-2611 Foreign Trade Building, 239 Zhongxing Road, Luohu District, Shen Zhen City, PR of China

Tel: +86-755-8218 4166 Fax: +86-755- 8218 7033

Email: info@meyor.cn URL: www.rbb.com.cn

	Chemicals known to cause developmental toxicity	Substance is not listed.	
	Carcinogenic Categories		
EPA (Environmental Protection Agency)		Substance is not listed.	
IARC (International Agency for Research on Cancer)		Substance is not listed.	
	TLV (Threshold Limit Value established by ACGIH)	Substance is not listed.	
	NIOSH-Ca (National Institute for Occupational Safety and Health)	Substance is not listed.	
	OSHA-Ca (Occupational Safety & Health Administration)	Substance is not listed.	
	Canada		
Ī	Canadian Domestic Substances List (DSL)	Substance is listed.	
Ī	Canadian Ingredient Disclosure list (limit 0.1%)	Substance is not listed.	
	Canadian Ingredient Disclosure list (limit 1%)	Substance is not listed.	

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16. 其他信息(OTHER INFORMATION)

This information only concerns the above mentioned product and does not need to be valid if used with other product(s) or in any process. The information is to our best present knowledge correct and complete and is given in good faith but without warranty. It remains the user's own responsibility to make sure that the information is appropriate and complete for his special use of this product.

这些信息仅仅涉及以上提到的产品, 如果用于其他产品或 其他过程,本公司不付任何法律责任。这些信息是我们当前 最新最好的资料编写而成,值得信任,但我们不能绝对保证 没有错误。它仅仅起到提醒使用者自己使这些信息指导相关 产品用于适当的地方。